

Message

From: Kerpel, Judith [KERPEL.JUDITH@EPA.GOV]
Sent: 1/29/2018 6:49:34 PM
To: Rao, Kate [Rao.kate@epa.gov]
Subject: FW: Citizen Complaint: 46-93 Lilipuna Rd, Kaneohe

See below for 1967 ad

~~~~~  
Judy Kerpel  
Drinking Water Protection Section (WTR-3-2)  
USEPA Region 9  
75 Hawthorne St, San Francisco, CA 94105  
tel: (415) 972-3567 / fax: (415) 947-3545  
~~~~~

From: Kerpel, Judith
Sent: Tuesday, January 16, 2018 11:00 AM
To: Rao, Kate <Rao.kate@epa.gov>
Subject: RE: Citizen Complaint: 46-93 Lilipuna Rd, Kaneohe

HIS & County – 2 dwellings, both built 1956:
5 bed/2 bath, 1348 sqft, 1 story with basement garage & unfinished basement
0 bed/1 bath, 400 sqft, 1 story cottage (there's a pool, so this might be used as a pool house)

The only permit on file is for the pool.

No IWS or cesspool into.

There's nothing on the internet with useful information except a site for old issues of The Honolulu Advertiser. Could only access the text version with a free trial. Real estate ad In March 5, 1967 issue:
"Kaneohe, 46-093 Lilipuna Rd. \$29,900 WATERFRONT 2 HOUSES! 13,816 sq. ft. lease lot! Boat channel too! Main house has 3 bedrooms huge living room & playroom or shop below. Second house is 1 bedroom, 1 bath with large enclosed area on ground level. 3 car garage. Owner w/ H finance. SHOWN BY: ROD MILLER (S) 939-955"

~~~~~  
Judy Kerpel  
Drinking Water Protection Section (WTR-3-2)  
USEPA Region 9  
75 Hawthorne St, San Francisco, CA 94105  
tel: (415) 972-3567 / fax: (415) 947-3545  
~~~~~

From: Rao, Kate
Sent: Friday, January 12, 2018 12:18 PM
To: Kerpel, Judith <KERPEL.JUDITH@EPA.GOV>
Subject: FW: Citizen Complaint: 46-93 Lilipuna Rd, Kaneohe

Judy – could you please put together a ww summary for this property? Please be sure to include if the property in question has, based on tax records and other public information available, two structures and any other info you can find about its use/permits/etc. Thanks. Kate

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Tomomitsu, Mark S [<mailto:mark.tomomitsu@doh.hawaii.gov>]
Sent: Wednesday, January 10, 2018 1:39 PM
To: Rao, Kate <Rao.kate@epa.gov>
Subject: RE: Citizen Complaint: 46-93 Lilipuna Rd, Kaneohe

Hello Kate,

Happy New Year!

Attached is a copy of the complaint inspection report and associated warning letter that was sent regarding the subject property.

Hope this helps with your inquiry.

Thank you,
Mark

Mark Tomomitsu
Environmental Engineer
Planning & Design Section
Wastewater Branch
State of Hawaii Department of Health
Telephone (808) 586-4294
Fax (808) 586-4300

Notice: This information and attachments are intended only for the use of the individual(s) or entity to which it is addressed, and may contain information that is privileged and/or confidential. If the reader of this message is not the intended recipient, any dissemination, distribution, or copying of this communication is strictly prohibited and may be punishable under state and federal law. If you have received this communication and/or attachments in error, please notify the sender via e-mail immediately and destroy all electronic and paper copies.

From: Rao, Kate [<mailto:Rao.kate@epa.gov>]
Sent: Wednesday, January 10, 2018 10:26 AM
To: Tomomitsu, Mark S <mark.tomomitsu@doh.hawaii.gov>
Subject: Citizen Complaint: 46-93 Lilipuna Rd, Kaneohe

Hi Mark –

Happy New Year!

EPA received an inquiry from Mr. Ex. 6 Personal Privacy (PP) who stated that his neighbor's cesspool (TMK: 1-4-6-001-022) was spilling onto his property. It appears a DOH ww inspector went to the site and conducted an inspection. Could you please send me the report? Not sure which TMK would be listed on the report.

Many thanks.

Kate

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549